

THE CMS APPENDICES

This table includes details of the listing of specific populations of species and when the species (or population) was added to the Appendices

CMS APPENDIX I

Class	Order	Family	Species	Populations/Notes	When added	
Mammalia	Chiroptera	Molossidae	<i>Tadarida brasiliensis</i>			
	Primates	Hominidae	<i>Gorilla gorilla</i>	Hominidae formerly listed as Pongidae; originally listed as <i>Gorilla gorilla beringei</i> ; then <i>Gorilla gorilla</i> and <i>Gorilla beringei</i>		
			<i>Gorilla beringei</i>			
	Cetacea	Physeteridae	<i>Physeter macrocephalus</i>		COP7	
			Platanistidae	<i>Platanista gangetica gangetica</i>		COP7
				<i>Pontoporia blainvillei</i>		COP5
		Delphinidae	<i>Delphinus delphis</i>	Mediterranean	COP8	
			<i>Tursiops truncatus ponticus</i>	Black Sea	COP9	
			<i>Orcaella brevirostris</i>		COP9	
			<i>Sousa teuszii</i>		COP9	
		Balaenopteridae	<i>Balaenoptera borealis</i>		COP7	
			<i>Balaenoptera physalus</i>		COP7	
			<i>Balaenoptera musculus</i>			
			<i>Megaptera novaeangliae</i>			
		Balaenidae	<i>Balaena mysticetus</i>			
			<i>Eubalaena glacialis</i>	Both formerly listed as <i>Balaena glacialis glacialis</i>		
	<i>Eubalaena japonica</i>					
	<i>Eubalaena australis</i>		Formerly listed as <i>Balaena glacialis australis</i>	COP3 new description		

Class	Order	Family	Species	Populations/Notes	When added
	Carnivora	Mustelidae	<i>Lontra feline</i>	Formerly listed as <i>Lutra feline</i>	
			<i>Lontra provocax</i>	Formerly listed as <i>Lutra provocax</i>	
		Felidae	<i>Uncia uncia</i>	Formerly listed as <i>Panthera uncia</i>	COP1
			<i>Acinonyx jubatus</i>	Except pops of Botswana, Namibia and Zimbabwe	COP9
		Phocidae	<i>Monachus monachus</i>	Formerly listed under the order Pinnipedia	
	Sirenia	Trichechidae	<i>Trichechus manatus</i>	Populations between Honduras and Panama	COP6
			<i>Trichechus senegalensis</i>		COP9
	Perissodactyla	Equidae	<i>Equus grevyi</i>		
	Artiodactyla	Camelidae	<i>Camelus bactrianus</i>		COP7
			<i>Vicugna vicugna</i>	Except Peruvian populations	
		Cervidae	<i>Cervus elaphus yarkandensis</i>	Only populations in Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan, Uzbekistan and Afghanistan. Formerly listed as <i>Cervus elaphus bactrianus</i>	COP8
			<i>Cervus elaphus barbarus</i>		
			<i>Hippocamelus bisulcus</i>		COP5
		Bovidae	<i>Bos sauveli</i>		
<i>Bos grunniens</i>				COP1	
<i>Addax nasomaculatus</i>					
<i>Gazella cuvieri</i>					

Class	Order	Family	Species	Populations/Notes	When added
			<i>Narger dama</i>	Formerly listed as <i>Gazella dama</i>	
			<i>Gazella dorcas</i>	NW Africa	
			<i>Gazella leptoceros</i>		COP1
			<i>Oryx dammah</i>		COP4
AVES	Sphenisciformes	Spheniscidae	<i>Spheniscus humboldti</i>		COP5
	Procellariiformes	Diomedeidae	<i>Diomedea albatrus</i>		
			<i>Diomedea amsterdamensis</i>		COP5
		Procellariidae	<i>Pterodroma atrata</i>		COP8
			<i>Pterodroma cahow</i>		
			<i>Pterodroma phaeopygia</i>		
			<i>Pterodroma sandwichensis</i>	Formerly inc in <i>P. phaeopygia</i>	
			<i>Puffinus creatopus</i>		COP7
			<i>Puffinus mauretanicus</i>		COP8
	Pelecanoididae	<i>Pelecanoides garnotii</i>		COP7	
	Pelecaniformes	Pelecanidae	<i>Pelecanus crispus</i>		COP1
			<i>Pelecanus onocrotalus</i>	Only Palaeartic populations	COP1
	Ciconiiformes	Ardeidae	<i>Ardeloa idae</i>		COP8
			<i>Egretta eulophotes</i>		
		Ciconiidae	<i>Gorsachius goisagi</i>		COP7
		Threskiornithidae	<i>Ciconia boyciana</i>		
			<i>Geronticus eremita</i>		
Phoenicopteriformes	Phoenicopteridae	<i>Phoenicoparrus andinus</i>	Formerly listed as <i>Phoenicoparrus andinus</i>	COP5	
		<i>Phoenicoparrus jamesi</i>	Formerly listed as <i>Phoenicoparrus jamesi</i>	COP5	
Anseriformes	Anatidae	<i>Anser cygnoides</i>		COP7	

Class	Order	Family	Species	Populations/Notes	When added
			<i>Anser erythropus</i>		COP5
			<i>Branta ruficollis</i>		COP5
			<i>Chloephaga rubidiceps</i>		
			<i>Anas formosa</i>		COP7
			<i>Marmaronetta angustirostris</i>		COP5
			<i>Aythya nyroca</i>		COP5
			<i>Aythya baeri</i>		COP9
			<i>Polysticta stelleri</i>		COP5
			<i>Oxyura leucocephala</i>		COP4
	Falconiformes	Accipitridae	<i>Haliaeetus albicilla</i>		COP1
			<i>Haliaeetus leucoryphus</i>		COP7
			<i>Haliaeetus pelagicus</i>		
			<i>Neophron percnopterus</i>		COP9
			<i>Aquila clanga</i>		COP5
			<i>Aquila heliaca</i>		COP5
			<i>Aquila adalberti</i>	Formerly inc in <i>A. heliaca</i>	
		Falconidae	<i>Falco naumanni</i>		COP5
	Gruiformes	Gruidae	<i>Grus japonensis</i>		
			<i>Grus leucogeranus</i>		
			<i>Grus monacha</i>		COP7
			<i>Grus nigricollis</i>		
			<i>Grus vipio</i>		COP7
		Rallidae	<i>Sarothrura ayresi</i>		COP5
	Otididae	<i>Chlamydotis undulata</i>	NW African pops		
		<i>Otis tarda</i>	Mid-European pops	COP4	
	Charadriiformes	Charadriidae	<i>Vanellus gregarius</i>	Formerly listed as <i>Chettusia gregaria</i>	COP5
		Scolopacidae	<i>Calidaris canatus rufa</i>		COP8
<i>Numenius borealis</i>					

Class	Order	Family	Species	Populations/Notes	When added	
			<i>Numenius tenuirostris</i>			
			<i>Tringa guttifer</i>		COP7	
			<i>Eurynorhynchus pygmeus</i>		COP7	
			<i>Tryngites subroficollis</i>		COP6	
		Laridae	<i>Larus atlanticus</i>		COP5	
			<i>Larus audouinii</i>			
			<i>Larus leucophthalmus</i>		COP1	
			<i>Larus relictus</i>			
			<i>Larus saundersi</i>		COP7	
			<i>Sterna bernsteini</i>		COP7	
			<i>Sterna lorata</i>		COP9	
		Alcidae	<i>Synthliboramphus wumizusume</i>			
		Psittaciformes	Psittacidae	<i>Brotoyeris pyrrhopterus</i>		COP7
		Passeriformes	Tyrannidae	<i>Alectrurus risora</i>		COP6
	<i>Alectrurus tricolor</i>				COP7	
	Hirundinidae		<i>Hirundo atrocaerulea</i>		COP5	
	Muscicapidae		<i>Acrocephalus griselidae</i>	This includes the sub-family Sylviinae formerly listed as the family Sylviidae	COP8	
			<i>Acrocephalus paludicola</i>		COP5	
			<i>Acrocephalus sorghophilus</i>		COP9	
			<i>Zoothera guttata</i>		COP8	
	Emberizidae		<i>Emberiza aureola</i>		COP9	
			<i>Sporophila zelichi</i>		COP6	
			<i>Sporophila cinnamomea</i>		COP6	
			<i>Sporophila hypochroma</i>		COP6	
			<i>Sporophila palustris</i>		COP7	
	Parulidae		<i>Dendroica caerulea</i>		COP9	
		<i>Dendroica kirtlandii</i>				

Class	Order	Family	Species	Populations/Notes	When added
		Icteridae	<i>Agelaius flavus</i>	Also known as <i>Xanthopsar flavus</i>	COP6
		Fringillidae	<i>Serinus syriacus</i>		
REPTILIA	Testudinata	Cheloniidae	<i>Chelonia mydas</i>		
			<i>Caretta caretta</i>		COP1
			<i>Eretmochelys imbricata</i>		COP1
			<i>Lepidochelys kempii</i>		
			<i>Lepidochelys olivacea</i>		COP1
		Dermochelyidae	<i>Dermochelys coriacea</i>		
	Pelomedusidae	<i>Podocnemis expansa</i>	Upper Amazon pops.		
	Crocodylia	Gavialidae	<i>Gavialis gangeticus</i>		
PISCES	ELASMOBRANCHII				
	Lamniformes	Cetorhinidae	<i>Cetorhinus maximus</i>		COP8
		Lamnidae	<i>Carcharodon carcharias</i>		COP7
	ACTINOPTERYGII				
	Acipenseriformes	Acipenseridae	<i>Acipenser sturio</i>		COP8
	Siluriformes	Schilbeidae	<i>Pangasianodon gigas</i>		

CMS APPENDIX II

Class	Order	Family	Species	Populations	When added	
Mammalia	Chiroptera	Rhinolophidae	<i>R spp</i>	European pops	COP1	
		Vespertilionidae	<i>V spp</i>	European pops	COP1	
			<i>Miniopterus schreibersii</i>		COP8	
			<i>Miniopterus majori</i>	Formerly listed under		
			<i>Miniopterus natalensis</i>	<i>M. schreibersii</i>		
		Molossidae	<i>Otomops martiensseni</i>		COP8	
			<i>Otomops madagascariensis</i>	Formerly listed under <i>Otomops martiensseni</i>		
			<i>Tadarida teniotis</i>		COP4	
			<i>Tadarida insignis</i>	Formerly listed under		
			<i>Tadarida latouchei</i>	<i>Tadarida teniotis</i>		
		Pteropodidae	<i>Eidolon helvum</i>	African pops	COP8	
		Cetacea	Physeteridae	<i>Physeter macrocephalus</i>		COP7
			Platanistidae	<i>Platanista gangetica gangetica</i>	Formerly listed as <i>P. gangetica</i>	
	Pontoporiidae		<i>Pontoporia blainvillei</i>		COP3	
	Iniidae		<i>Inia geoffrensis</i>		COP3	
	Monodontidae		<i>Delphinapterus leucas</i>			
			<i>Monodon monoceros</i>		COP3	
	Phocoenidae		<i>Phocoena phocoena</i>	North and Baltic Sea, western North Atlantic, Black Sea and NW African populations	North & Baltic Seas COP2 W N Atlantic and Black Sea COP3; NW Africa COP9	
			<i>Phocoena spinipinnis</i>			
			<i>Phocoena dioptrica</i>			
			<i>Neophocaena phocaenoides</i>			

Class	Order	Family	Species	Populations	When added
			<i>Phocoenoides dalli</i>		
		Delphinidae	<i>Sousa chinensis</i>		
			<i>Sousa teuszii</i>		
			<i>Sotalia fluviatilis</i>		
			<i>Sotalia guianensis</i>	Formerly included in <i>Sotalia fluviatilis</i>	
			<i>Lagenorhynchus albirostris</i>	North and Baltic Seas	COP2
			<i>Lagenorhynchus acutus</i>	North and Baltic Seas	COP2
			<i>Lagenorhynchus obscurus</i>		
			<i>Lagenorhynchus australis</i>		
			<i>Grampus griseus</i>	North Sea, Baltic Sea and Mediterranean	North and Baltic Seas COP2; Med COP9
			<i>Tursiops aduncus</i>	Arafurur/Timor Sea	
			<i>Tursiops truncatus</i>	North and Baltic Seas; Black Sea and Mediterranean	North and Baltic Seas COP2; W Med COP3; Med COP9
			<i>Stenella attenuata</i>		COP3 eastern tropical Pacific population; COP6 all populations
			<i>Stenella longirostris</i>		COP3 eastern tropical Pacific population; COP6 all populations

Class	Order	Family	Species	Populations	When added
			<i>Stenella coeruleoalba</i>	eastern tropical Pacific population and Mediterranean	COP3 eastern tropical Pacific population; COP8 Mediterranean
			<i>Stenella clymene</i>	West African population	COP9
			<i>Delphinus delphis</i>	North and Baltic Sea, western Mediterranean, Black Sea and eastern tropical Pacific populations	COP2
			<i>Lagenodelphis hosei</i>	SE Asian pops	
			<i>Orcaella brevirostris</i>		
			<i>Orcaella heinsohni</i>	Formerly included in <i>Orcaella brevirostris</i>	
			<i>Cephalorhynchus commersonii</i>	South American pop	
			<i>Cephalorhynchus eutropia</i>		
			<i>Cephalorhynchus heavisidii</i>		
			<i>Orcinus orca</i>		
			<i>Globicephala melas</i>	North and Baltic Sea	COP2
		Ziphiidae	<i>Berardius bairdii</i>		
			<i>Hyperoodon ampullatus</i>		
		Balaenopteridae	<i>Balaenoptera bonaerensis</i>		COP7
			<i>Balaenoptera edeni</i>		COP7
			<i>Balaenoptera omurai</i>	Formerly included in <i>Balaenoptera edeni</i>	
			<i>Balaenoptera borealis</i>		COP7
			<i>Balaenoptera physalus</i>		COP7
		Neobalaenidae	<i>Caperea marginata</i>		COP7

Class	Order	Family	Species	Populations	When added
	Carnivora	Otariidae	<i>Arctocephalus australis</i>		
			<i>Otaria flavescens</i>		
		Phocidae	<i>Phoca vitulina</i>	Baltic & Wadden Sea	COP1
			<i>Halichoerus grypus</i>	Baltic	COP1
			<i>Monachus monachus</i>		
	Canidae	<i>Lycaon pictus</i>		COP9	
	Proboscidea	Elephantidae	<i>Loxodonta africana</i>		
			<i>Loxodonta cyclotis</i>	Formerly listed under <i>Loxodonta africana</i>	
	Sirenia	Dugongidae	<i>Dugong dugon</i>		
		Trichechidae	<i>Trichechus manatus</i>	Panama and Honduras	COP6
			<i>Trichechus senegalensis</i>		COP7
			<i>Trichechus inunguis</i>		COP7
	Perissodactyla	Equidae	<i>Equus hemionus</i>	(inc <i>E. onager</i>) Formerly listed as <i>E. hemonius</i> (s.l.)	COP7
			<i>Equus klang</i>	Formerly listed under <i>E. hemonius</i> (s.l.)	
	Artiodactyla	Camelidae	<i>Vicugna vicugna</i>		New description COP3
		Cervidae	<i>Cervus elaphus yarkandensis</i>	Pops of Kazakhstan, Kyrgyzstan, Turkmenistan, Tajikistan, Uzbekistan and Afghanistan) Formerly listed as <i>Cervus elaphus bactrianus</i>	
Bovidae		<i>Oryx dammah</i>			
		<i>Gazella gazella</i>	Asian populations		
		<i>Gazella subgutturosa</i>		COP7	

Class	Order	Family	Species	Populations	When added
			<i>Procapra gutturosa</i>		COP7
			<i>Saiga tatarica</i>	Formerly listed as <i>Saiga tatarica tatarica</i>	COP7
			<i>Saiga borealis mongolica</i>	Formerly listed as <i>Saiga tatarica</i>	
			<i>Ammotragus lervia</i>		COP9
AVES	Sphenisciformes	Spheniscidae	<i>Spheniscus demersus</i>		COP5
	Gaviiformes	Gaviidae	<i>Gavia stellata</i>	W. Palaearctic	COP4
			<i>Gavia arctica arctica</i>		COP4
			<i>Gavia arctica suschkini</i>		COP4
			<i>Gavia immer immer</i>	NW Europe	COP4
			<i>Gavia adamsii</i>	W. Palaearctic	COP4
	Podicipediformes	Podicipedidae	<i>Podiceps grisegena grisegena</i>		COP4
			<i>Podiceps auritus</i>	W. Palaearctic	COP4
	Procellariiformes	Diomedidae	<i>Diomedea exulans</i>		COP5
			<i>Diomedea epomophora</i>		COP5
			<i>Diomedea irrorata</i>		COP5
			<i>Diomedea nigripes</i>		COP5
			<i>Diomedea immutabilis</i>		COP5
			<i>Diomedea melanophris</i>		COP5
			<i>Diomedea bulleri</i>		COP5
			<i>Diomedea cauta</i>		COP5
			<i>Diomedea chlororhynchus</i>		COP5
			<i>Diomedea chrysostoma</i>		COP5
			<i>Phoebetria fusca</i>		COP5
<i>Phoebetria palpebrata</i>				COP5	
	Procellariidae	<i>Macronectes giganteus</i>		COP6	

Class	Order	Family	Species	Populations	When added
			<i>Macronectes halli</i>		COP6
			<i>Procellaria cinerea</i>		COP6
			<i>Procellaria aequinoctialis</i> includes <i>Procellaria conspicillata</i>	Formerly listed as <i>aequinoctialis</i> <i>conspicillata</i>	COP6 COP6
			<i>Procellaria parkinsoni</i>		COP6
			<i>Procellaria westlandica</i>		COP6
	Pelecaniformes	Phalacrocoracidae	<i>Phalacrocorax nigrogularis</i>		COP4
			<i>Phalacrocorax pygmeus</i>	Formerly listed as <i>Phalacrocorax pygmaeus</i>	COP4
		Pelecanidae	<i>Pelecanus onocrotalus</i>	W. Palaearctic	COP4
			<i>Pelecanus crispus</i>		COP4
	Ciconiiformes	Ardeidae	<i>Botaurus stellaris stellaris</i>	W. Palaearctic	COP4
			<i>Ixobrychus minutus minutus</i>	W. Palaearctic	COP4
			<i>Ixobrychus sturmii</i>		COP4
			<i>Ardeola rufiventris</i>		COP4
			<i>Ardeola idae</i>		COP4
			<i>Egretta vinaceigula</i>		COP4
			<i>Casmerodius albus albus</i>	W Palaearctic	COP4
			<i>Ardea purpurea purpurea</i>	Pops breeding in the W Palaearctic	COP4
		Ciconiidae	<i>Mycteria ibis</i>		COP4
			<i>Ciconia nigra</i>		
			<i>Ciconia episcopus microscelis</i>		COP4
			<i>Ciconia ciconia</i>		
		Threskiornithidae	<i>Plegadis falcinellus</i>		COP1
			<i>Geronticus eremita</i>		

Class	Order	Family	Species	Populations	When added	
			<i>Threskiornis aethiopicus aethiopicus</i>		COP4	
			<i>Platalea alba</i>	Exc. Madagascar	COP4	
			<i>Platalea leucorodia</i>			
	Phoenicopteriformes	Phoenicopteridae	<i>Ph. Spp</i>			
	Anseriformes	Anatidae	<i>A. spp</i>			
	Falconiformes	Cathartidae	<i>C. spp</i>			
		Pandionidae	<i>Pandion haliaetus</i>			
		Accipitridae	<i>A. spp</i>			
		Falconidae	<i>F. spp</i>			
	Galliformes	Phasianidae	<i>Coturnix coturnix coturnix</i>			
	Gruiformes	Rallidae	<i>Porzana porzana</i>	Pops breeding in the W Palaearctic	COP4	
			<i>Porzana parva parva</i>		COP4	
			<i>Porzana pusilla intermedia</i>		COP4	
			<i>Fulica atra atra</i>	Mediterranean and Black Seas	COP4	
			<i>Aenigmatolimnas marginalis</i>		COP4	
			<i>Crex crex</i>		COP5	
			<i>Sarothrura boehmi</i>		COP4	
			<i>Sarothrura ayresi</i>		COP5	
		Gruidae	<i>G. spp</i>			
			Includes <i>Grus virgo</i>	Formerly listed as <i>Anthropoides virgo</i> (species name)		
		Otidae	<i>Chlamydotis undulata</i>	Asia		
	<i>Otis tarda</i>				COP1	
	Charadriiformes	Recurvirostridae	<i>R. spp</i>			
Dromadidae		<i>Dromas ardeola</i>				

Class	Order	Family	Species	Populations	When added
		Burhinidae	<i>Burhinus oedicnemus</i>		COP1
		Glareolidae	<i>Glareola pratincola</i>		COP1
			<i>Glareola nordmanni</i>		COP1
			<i>Glareola nuchalis</i>		COP8
			Charadriidae	<i>C. spp</i>	
		Scolopacidae	<i>S. spp</i>		
		Includes sub-family Phalaropodinae	<i>P.spp</i>	Formerly listed as Phalaropodidae	
		Laridae (includes the family formerly listed as Sternidae)	<i>Larus hemprichii</i>		COP4
			<i>Larus leucophthalmus</i>		COP4
			<i>Larus ichthyaetus</i>	West Eurasia and Africa	COP4
			<i>Larus melanocephalus</i>		COP4
			<i>Larus genei</i>		COP4
			<i>Larus audouinii</i>		COP4
			<i>Larus armenicus</i>		COP4
			<i>Sterna nilotica nilotica</i>	West Eurasia and Africa	COP4
			<i>Sterna caspia</i>	West Eurasia and Africa	COP4
			<i>Sterna maxima albidorsalis</i>		COP4
			<i>Sterna bergii</i>	Africa and Southwest Asia	COP4
			<i>Sterna bengalensis</i>	Africa and Southwest Asia	COP4
			<i>Sterna sandvicensis sandvicensis</i>		COP4
			<i>Sterna dougallii</i>	Atlantic	COP3
			<i>Sterna hirundo hirundo</i>	Pops breeding in the W Palaearctic	COP4
			<i>Sterna paradisaea</i>	Atlantic	COP4
		<i>Sterna albifrons</i>		COP4	

Class	Order	Family	Species	Populations	When added	
			<i>Sterna saundersi</i>		COP4	
			<i>Sterna balaenarum</i>		COP4	
			<i>Sterna repressa</i>		COP4	
			<i>Chlidonias niger niger</i>		COP4	
			<i>Chlidonias leucopterus</i>	West Eurasia and Africa	COP4	
		Rynchopidae		<i>Rynchops flavirostris</i>		COP8
	Columbiformes	Columbidae		<i>Streptopelia turtur turtur</i>		COP7
	Psittaciformes	Psittacidae		<i>Amazona tucumana</i>		COP5
	Coraciiformes	Meropidae		<i>Merops apiaster</i>		COP1
		Coraciidae		<i>Coracias garrulus</i>		COP1
	Passeriformes	Muscicapidae		<i>M. (s.l.) spp.</i>		
				<i>Includes Acrocephalus paludicola</i>	Formerly listed separately as Sylviidae	COP5
		Hirundinidae		<i>Hirundo atrocaerulea</i>		COP5
		Tyrannidae		<i>Alectrurus risora</i>		COP8
				<i>Alectrurus tricolor</i>		COP8
				<i>Pseudocolopteryx dinellianus</i>		COP7
				<i>Polystictus pectoralis pectoralis</i>		COP7
		Emberizidae		<i>Sporophila ruficolis</i>		COP7
				<i>Sporophila zelichi</i>		COP8
				<i>Sporophila cinnamomea</i>		COP8
			<i>Sporophila hypochroma</i>		COP8	
	<i>Sporophila palustris</i>			COP8		
	Icteridae		<i>Agelaius flavus</i>		COP8	
REPTILIA	Testudinata	Cheloniidae	<i>C. spp</i>			
		Dermochelyidae	<i>D. spp</i>			
		Pelomedusidae	<i>Podocnemis expansa</i>			
	Crocodylia	Crocodylidae		<i>Crocodylus porosus</i>		

Class	Order	Family	Species	Populations	When added
PISCES					
Elasmobranchii	Orectolobiformes	Rhincodontidae	<i>Rhincodon typus</i>		COP6
	Lamniformes	Cetorhinidae	<i>Cetorhinus maximus</i>		COP8
			Lamnidae	<i>Carcharodon carcharias</i>	
		<i>Isurus oxyrinchus</i>			COP9
		<i>Isurus paucus</i>			COP9
		<i>Lamna nasus</i>		COP9	
	Squaliformes	Squalidae	<i>Squalus acanthias</i>	Northern hemisphere populations	COP9
Actinopterygii	Acipenseriformes	Acipenseridae	<i>Huso huso</i>		
			<i>Huso dauricus</i>		COP6
			<i>Acipenser baerii baicalensis</i>		COP6
			<i>Acipenser fulvescens</i>		
			<i>Acipenser gueldenstaedtii</i>		COP6
			<i>Acipenser medirostris</i>		COP6
			<i>Acipenser mikadoi</i>		COP6
			<i>Acipenser naccarii</i>		COP6
			<i>Acipenser nudiventris</i>		COP6
			<i>Acipenser persicus</i>		COP6
			<i>Acipenser ruthenus</i>		COP6
			<i>Acipenser schrenckii</i>		COP6
			<i>Acipenser sinensis</i>		COP6
			<i>Acipenser stellatus</i>		COP6
			<i>Acipenser sturio</i>		COP6
			<i>Pseudoscaphirhynchus kaufmanni</i>		COP6
			<i>Pseudoscaphirhynchus hermanni</i>		COP6
<i>Pseudoscaphirhynchus fedtschenkoi</i>		COP6			
<i>Psephurus gladius</i>		COP6			
INSECTA	Lepidoptera	Danaidae	<i>Danaus plexippus</i>		

