



# Convention on the Conservation of Migratory Species of Wild Animals

*Secretariat provided by the United Nations Environment Programme*



UNEP/CMS-WATCH-Inf.6  
Date: 9 October 2007

## **WESTERN AFRICAN TALKS ON CETACEANS AND THEIR HABITATS**

Adeje, Tenerife, Spain, 16-20 October 2007

### **The Small-Cetacean Fauna of the West Coast of Africa and Macaronesia: Diversity and Distribution**

The designation of geographical entities does not imply the expression of any opinion whatsoever on the part of CMS and UNEP concerning the legal status of any country, territory, city or area, or of its authorities, or concerning the delimitation of its frontiers and boundaries.

# **The Small-Cetacean Fauna of the West Coast of Africa and Macaronesia: Diversity and Distribution**

***William F. Perrin***

*NOAA Fisheries*

*Southwest Fisheries Science Center*

*8604 La Jolla Shores Drive*

*La Jolla, California, 92037, USA*

Email: [william.perrin@noaa.gov](mailto:william.perrin@noaa.gov)

and

***Koen Van Waerebeek***

*Centro Peruano de Estudios Cetológicos (CEPEC)*

*Museo de Delfines*

*Pucusana, PERU*

Email: [wafriacetacea@skynet.be](mailto:wafriacetacea@skynet.be)

This review is an attempt to summarize the existing information in the literature on distribution of small cetaceans in the region, by species and by country. A constraint on the time available for preparation has limited the scope of the review; it is not exhaustive, and records not noted here undoubtedly exist, especially for Macaronesia. The summary tables given here can serve as a basis for further review. The tables and list of references consulted are available from the authors as electronic files.

The area covered includes the entire west coast of Africa from Morocco to South Africa (Atlantic coast) and the archipelagos of Macaronesia (Canary Islands, Madeira, Azores and Cape Verde Islands).

Little is known about the distribution of most small cetaceans along the west coast of Africa; roughly 25-30 species are thought to occur there, depending on the source consulted (Jefferson *et al.*, 1993; Rice, 1998; Culik, 2004; IUCN Red List, 2007; others). The small-cetacean fauna of most of Macaronesia is better known, as there have been a number of cetological surveys, stranding programs, and reviews initiated there in recent years (e.g. Steiner and Gordon, areas influenced by the cool Canary Current, 1993; Martin *et al.*, 1992; Hazevoet and Wenzel, 2000; Moore *et al.*, 2003; Silva *et al.*, 2003). Records of a total of 31 species were found in the present review.

The records on which the table is based are of varying reliability. Some are confirmed by specimens, photographs, or the opinion of an on-site expert; many others are not. Unless it could be determined from data or photographs in the reference that the record was likely erroneous, it was included. The aim was to develop an overall picture of diversity and distribution. Before a definitive checklist can be developed for a country, the putative records should each be closely checked for likely validity.

The tables are organized with countries and territories arranged roughly from north to south and the small-cetaceans grouped into 1) north-temperate, 2) tropical, 3) south-temperate, 4) antitropical, and 5) cosmopolitan species.

Table 1. Reported distribution of north-temperate and tropical small cetaceans on the west coast of Africa and in Macaronesia. P = reported present.

	NORTH-TEMPERATE SPECIES				TROPICAL SPECIES													
	<i>Hyperoodon ampullatus</i>	<i>Mesoplodon bidens</i>	<i>Mesoplodon europaeus</i>	<i>Phocoena phocoena</i>	<i>Mesoplodon densirostris</i>	<i>Feresa attenuata</i>	<i>Globicephala macrorhynchus</i>	<i>Grampus griseus</i>	<i>Lagenodelphis hosei</i>	<i>Peponocephala electra</i>	<i>Pseudorca crassidens</i>	<i>Sousa teuszii</i>	<i>Stenella attenuata</i>	<i>Stenella clymene</i>	<i>Stenella frontalis</i>	<i>Stenella longirostris</i>	<i>Steno bredanensis</i>	
Azores (Portugal)	P	P	P		P		P	P			P							
Morocco	P			P				P			P							
Western Sahara				P								P						
Madeira (Portugal)		P			P		P											P
Canary Islands (Spain)	P	P	P		P	P	P	P	P						P	P	P	
Mauritania			P	P	P		P	P		P		P		P	P	P	P	
Cape Verde Islands						P	P	P		P		P		P	P	P	P	
Senegal				P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
The Gambia							P				P		P					
Guinea Bissau			P				P	P		P		P						
Guinea - Conakry											P	P			P	P	P	
Sierra Leone																		
Liberia																P		
Ivory Coast							P	P			P		P		P	P	P	
Ghana							P	P	P	P	P		P	P	P	P	P	
Togo																		
Benin										P					P			
Nigeria																		
Cameroon												P						
Equatorial Guinea						P							P		P			
Sao Tome & Principe																		
Gabon											P	P	P					
Congo - Brazzaville														P				
Dem. Rep. of the Congo																		
Angola												P		P				
Namibia						P												P
South Africa (Atl. Coast)					P	P		P										

Table 2. Reported distribution of south-temperate, antitropical and cosmopolitan small cetaceans on the west coast of Africa and in Macaronesia. P = reported present.

	SOUTH-TEMPERATE SPECIES					ANTI-TROPICAL	COSMOPOLITAN SPECIES								
	<i>Mesoplodon grayi</i>	<i>Mesoplodon layardii</i>	<i>Cephalorhynchus heavisidii</i>	<i>Lagenorhynchus obscurus</i>	<i>Lissodelphis peronii</i>	<i>Mesoplodon minus</i>	<i>Globicephala melas</i>	<i>Kogia breviceps</i>	<i>Kogia sima</i>	<i>Ziphius cavirostris</i>	<i>Delphinus capensis</i>	<i>Delphinus delphis</i>	<i>Orcinus orca</i>	<i>Stenella coeruleoalba</i>	<i>Tursiops truncatus</i>
Azores						P	P	P	P	P			P	P	P
Morocco							P			P		P	P		P
Western Sahara											P	P			
Madeira								P			P	P			P
Canary Islands						P	P	P		P	P		P	P	P
Mauritania							P	P		P			P	P	P
Cape Verde Islands							P			P		P	P	P	P
Senegal								P	P	P	P	P	P	P	P
The Gambia							P				P		P		P
Guinea Bissau								P				P			P
Guinea - Conakry													P		
Sierra Leone															
Liberia													P		
Ivory Coast													P		P
Ghana									P		P		P		P
Togo															
Benin															
Nigeria															
Cameroon															
Equatorial Guinea													P		
Sao Tome & Principe															
Gabon											P	P	P		
Congo - Brazzaville											P	P			
Dem. Rep. Congo											P	P			
Angola			P								P	P		P	
Namibia	P		P	P	P			P		P			P		P
South Africa (Atl.)		P	P	P		P	P	P		P		P	P	P	P

Some of the north-temperate species (Table 1) have been recorded as far south as Senegal (*Phocoena phocoena*) or Guinea Bissau (*Mesoplodon mirus*), but their core range is likely restricted to cooler waters from northern Mauritania north.

Many of the mainly tropical species have been recorded from the Azores, reflecting the influence of the northeastern extension of the Gulf Stream. While all have been recorded from Senegal and many from the Ivory Coast, the small-cetacean fauna of most of the tropical waters of West Africa remains very poorly known. For example, none have been recorded in the references seen by the authors from Sao Tome and Principe, Togo or Nigeria. All or most of the tropical dolphins and small toothed whales can be expected to occur along the entire coast, although it is possible that some species may have been extirpated by fisheries bycatch in the waters of some countries (e.g., see Van Waerebeek *et al.*, 2003 and Van Waerebeek, 2006b on *Sousa teuszii*).

The occurrence of both north-temperate and tropical species in the northern portions of the region is due to complex oceanographic structure, including seasonal and interannual shifts in sea-surface temperature and other features. For example, marked interannual differences occur in the species make-up of small cetaceans around the Azores (Clua and Grosvaler, 2001).

Three of four south-temperate species (Table 2) have only been recorded from the waters of Namibia and South Africa; the fourth, Heaviside's dolphin, occurs also off Angola, in the south of the Country.

Two species have antitropical distributions. *Mesoplodon mirus* has been recorded only from the Azores and the Canary Islands in the north and South Africa in the south. *Globicephala melas* has been recorded from as far south as Mauritania in the north and from South Africa in the south.

The more cosmopolitan species are well known from the north down to Senegal and from the far south but not from the intervening region, where they all can be expected to occur. The exception is the killer whale, which is easily seen and identified.

The relative lack of information on the distribution of tropical and cosmopolitan species in the waters of the countries of tropical West Africa suggests a need for increased field research there, to conduct surveys of distribution and abundance, collect data on bycatch in fisheries, and collect stranded and bycaught animals for confirmation of species and study of their systematics, life history and ecology.

## References consulted

- ANNABAM and A. López. 1994. Cranio de *Mesoplodon densirostris* das augas do norte de Africa. *Eubalaena* 5:7-13.
- Anonymous. 2001. Report of the Workshop on the Conservation and Management of Small Cetaceans of the Coast of Africa (translation from the French by W. F. Perrin). CMS/ScC/Inf. 20.
- Addink, M. J. and C. Smeenk. 2001. Opportunistic feeding behaviour of rough-toothed dolphins *Steno bredanensis* off Mauritania. *Zool. Verh. Leiden* 334:37-48.
- Bamy, I.L., Van Waerebeek, K., Bah, S.S., Dia, M., Kaba, B., Keita, N., Konate, S. and Tall, H. 2006. The cetaceans of Guinea, a first check-list of documented species. IWC Scientific Committee document SC/58/O15. 7pp.
- Bayed, A. and P.-Ch. Beaubrun. 1987. Les mammifères marin du Maroc: Inventaire préliminaire. *Mammalia* 51:431-440.
- Best, P. B. 1970. Records of the pygmy killer whale, *Feresa attenuata*, from southern Africa, with notes on behaviour in captivity. *Ann. S. Afr. Mus.* 57:1-14, pl. 1-9.
- Borobia, M. 1996. Notes on whaling catch statistics and the genus *Lagenorhynchus* in West and Central Africa. IWC Scientific Committee document SC/48/SM51.
- Borobia, M. 1997. Small cetaceans of eastern, western and central African regions: a summary report. IWC Scientific Committee document SC/49/SM48.
- van Bree, P. J. H. 1968. On a skull of *Peponocephala electra* (Gray, 1846) (Cetacea, Globicephalinae) from Sénégal. *Beaufortia* 177:193-202.
- van Bree, P. J. H., P. B. Best and G. J. B. Ross. 1978. Occurrence of the two species of pilot whales (genus *Globicephala*) on the coast of South Africa. *Mammalia* 42:323-328.
- Brown, S. G. 1982. Southern right whale dolphins off the south west African coast. *Mar. Obs.* 52:33-34.
- Cadenat, J. 1948. Observations de Cétacés au Sénégal. *Notes Afr.* 34:20-23.
- Cadenat, J. 1956. Un Delphinidae encore mal connu de la côte occidentale d'Afrique: *Sotalia teuszii* Kukenthal 1892. *Bull. I.F.A.N.* 18, sér. A:556-566.
- Cadenat, J. 1957. Observations de Cétacés, Siréniens, Chéloniens et Sauriens en 1955-1956. *Bull. I.F.A.N.* 19, sér. A:1358-1375.
- Cadenat, J. 1958. Notes sur les Delphinidés ouest-africains. 2. Un spécimen du genre *Feresa* capturé sur les côtes du Sénégal. *Bull. I.F.A.N.* 20, sér. A: 1486-1493.
- Cadenat, J. 1959. Rapport sur les petits Cétacés ouest-africains. Résultats des recherches entreprises sur ces animaux jusqu'au mois de mars 1959. *Bull. I.F.A.N.* 21, sér. A:1367-1409, pl. 1-31.
- Cadenat, J. and M. Doutre. 1958. Notes sur les Delphinidés ouest-africains. 1. Un *Prodelphinus* ? indéterminé des côtes du Sénégal. *Bull. I.F.A.N.* 20, sér. A:1483-1485.
- Cadenat, J. and M. Doutre. 1959. Notes sur les Delphinidés ouest-africains. 5. Sur un *Prodelphinus* à long bec capturé au large des côtes du Sénégal *Prodelphinus longirostris* (Gray) 1828? *Bull. I.F.A.N.*, 21, sér. A:787-792, pl. 1-6.
- Cadenat, J. and F. Paraiso. 1957. Nouvelle observation de *Sotalia* (Cétacé, Delphinidé) sur les côtes du Sénégal. *Bull. I.F.A.N.* 19, sér. A:324-332.
- Carrillo, M. and L. F. Lopez-Jurado. 1998. Structure and behaviour of a Blainville's beaked whale (*Mesoplodon densirostris*) group in Tenerife (Canary Islands). The World Marine Mammal Science Conference, Monaco, 20-24 January 1998. Abstracts:24.
- Cassens, I., K. Van Waerebeek, P. B. Best, A. Tzika, A. van Helden, E. A. Crespo and M. C. Milinkovitch. 2004. Evidence for male dispersal along the coasts but no migration in pelagic waters in dusky dolphins (*Lagenorhynchus obscurus*). *Mol. Ecol.* 14:107-121.
- Clarke, R. 1981. Whales and dolphins of the Azores and their exploitation. *Rep. Int. Whal. Commn* 31:607-615.

- Clua, E. and F. Grosvaler. 2001. Mixed-species feeding aggregations of dolphins, large tunas and seabirds in the Azores. *Aquat. Living Resour.* 14:11-18.
- Culik, B. M. 2004. Review of small cetaceans. Distribution, behaviour, migration and threats. UNEP/CMS Secretariat, Bonn, Germany.
- Donahue, M. A. and E. F. Edwards. 1996. An annotated bibliography of available literature regarding cetacean interactions with tuna purse-seine fisheries outside of the eastern tropical Pacific. Southwest Fisheries Science Center Admin. Rep. LJ-96-20.
- Dupuy, A. R. 1975. Un orque épaulard dans la baie de Hann (Sénégal). *Notes Afr.* 142:40-42.
- Duguy, R. 1976. Contribution a l'étude des mammifères marins de la côte nord-ouest Afrique. *Rev. Trav. Inst. Pêches marit.* 39:321-332.
- Dupuy, A. R. and J. Maigret. 1976. . Les Mammifères marins des côtes du Sénégal. 2. Observations signalées en 1977. *Bull. I.F.A.N.* 38, sér. A:922-928.
- Dupuy, A. R. and J. Maigret. 1978. Les Mammifères marins des côtes du Sénégal. 2. Observations signalées en 1977. *Bull. I.F.A.N.* 40, sér. A:458-465.
- Dupuy, A. R. and J. Maigret. 1979. Les Mammifères marins des côtes du Sénégal. 3. Observations signalées en 1978. *Bull. I.F.A.N.* 41, sér. A:430-439.
- Dupuy, A. R. and J. Maigret. 1980. Les Mammifères marins des côtes du Sénégal. 4. Observations signalées en 1979. *Bull. I.F.A.N.* 41, sér. A:401-409.
- Dupuy, A. R. and J. Maigret. 1982. Les Mammifères marins des côtes du Sénégal. 5. Observations signalées en 1980-1981. *Bull. I.F.A.N.* 44, sér. A:213-220.
- Fertl, D., T. A. Jefferson, I. Moreno, A. N. Zerbini and K. D. Mullin. 2003. Distribution of the Clymene dolphin *Stenella clymene*. *Mamm. Rev.* 33:253-271.
- Findlay, K.P., Best, P.B., Ross, G.J.B. and V. G. Cockcroft. 1992. The distribution of small odontocete cetaceans off the coasts of South Africa and Namibia. *S. Afr. J. mar. Sc.* 12: 237-270.
- Fraser, F. C. 1949. A specimen of *Sotalia teuszii* Kukenthal from the coast of Senegal. *J. Mamm.* 30:274-276.
- Fraser, F. C. 1950. Description of a dolphin *Stenella frontalis* from the coast of French Equatorial Africa. *Atlantide Rep.* 1:61-84, pl. 6-9.
- Fraser, F. C. 1958. Common or harbour porpoises from French West Africa. *Bull. I.F.A.N.* 20, sér. A:276-285.
- Fraser, F. C. 1960. A specimen of the genus *Feresa* from Senegal. *Bull. I.F.A.N.* 22, sér. A:700-707.
- Fraser, F. C. 1973. Record of a dolphin (*Sotalia teuszii*) from the coast of Mauritania. *Trans. N.Y. Acad. Sci., Ser. 2*, 35:132-135.
- Haase, B. J. M. 1987. A group of goose-beaked whales *Ziphius cavirostris* G. Cuvier, 1823 near the Cape Verde Islands. *Lutra* 30:107-108.
- Hazevoet, C. J. and F. W. Wenzel. 2000. Whales and dolphins (Mammalia, Cetacea) of the Cape Verde Islands, with special reference to the humpback whale *Megaptera novaeangliae* (Borowski, 1781). *Contr. Zool.* 69:197-211.
- Hervé-Gruyer, C. 1989. Sightings and behaviour of cetaceans of the Canary Islands. *Eur. Res. Cetaceans* 3:71-72.
- Jallow, A., Cham, A.M., Barnett, L. and Van Waerebeek, K. 2005. Conservation of cetaceans in The Gambia: whale and dolphin field research. pp. 37-54. *In: Proceedings from the First Biodiversity Research Symposium The Gambia*. Ed. L. Barnett, Makasufu Wildlife Trust, Darwin Initiative Project, The Gambia.
- Jefferson, T. A. and B. E. Curry. 2003. *Stenella clymene*. *Mamm. Species* 726:1-5.
- Jefferson, T. A., S. Leatherwood and M. A. Webber. 1993. Marine mammals of the world. FAO, Rome.



- Jefferson, T. A., B. E. Curry, S. Leatherwood and J. A. Powell. 1997. Dolphins and porpoises of West Africa: a review of records (Cetacea: Delphinidae, Phocoenidae). *Mammalia* 6:87-108.
- Joleaud, L. 1934. Cétacés du Maroc. *La Nature* 2827: 360-363.
- de Kock, A. C., P. B. Best, V. Cockcroft and C. Bosma. 1994. Persistent organochlorine residues in small cetaceans from the east and west coasts of southern Africa. *Sci. Tot. Environ.* 154:153-162.
- MacLeod, C. D., W. F. Perrin, R. Pitman, J. Barlow, L. Ballance., A. D'Amico, T. Gerrodette, G. Joyce, K. D. Mullin, D. L. Palka and G. T. Waring. 2006. Known and inferred distributions of beaked whale species (Cetacea: Ziphiidae). *J. Cetacean Res. Manage.* 7:271-286.
- McCann, C. and F. H. Talbot. 1964. The occurrence of True's beaked whale (*Mesoplodon mirus* True) in South African waters, with a key to South African species of the genus. *Proc. Linn. Soc. Lond.* 175:137-144, pl. 1-6.
- Maigret, J. 1972-1976. Les Mammifères marins des côtes de Mauritanie. Etat des observations en 1960. *Bull. Cent. Nat. Rech. Océanogr. Pêches Nouadhibou* 9:130-152.
- Maigret, J. 1979a. Bibliographie pour servir à l'étude de Mammifères marins des côtes nord-ouest africaines. Groupe d'Étude de Mammifères Marins de l'Atlantique Tropical Africain (GEMMATA). *Doc. Scient.* 1:1-9.
- Maigret, J. 1979b. Les échouages massifs de Cétacés dans la région du Cap-Vert (Sénégal). *Notes Afr.*
- Maigret, J. 1980. Données nouvelles sur l'écologie du *Sousa teuszii* (Cetacea, Delphinidae) de la côte ouest africaine. *Bull. I.F.A.N.* 42, sér. A:619-633.
- Maigret, J. 1981. Rapport Mammifères marin/pêche dans l'Atlantique tropical. Groupe d'Étude de Mammifères Marins de l'Atlantique Tropical Africain (GEMMATA). *Doc. Scient.* 3:3-9.
- Maigret, J. 1982. Recherches scientifique dans les parc nationaux du Sénégal. XVIII. Les Mammifères marins du Sénégal. État des observations dans les parcs nationaux. *Mém.I.F.A.N.* 92:221-231.
- Maigret, J. 1990. Observations d'Orques *Orcinus orca* Linné, 1758 sur les côtes nord ouest africains. *Bull. IFAN* 47A: 190-197.
- Maigret, J. 1994. Marine mammals and fisheries along the West African coast. Pages 307-316 in *Gillnets and cetaceans* (W. F. Perrin, G. P. Donovan and J. Barlow, eds.). *Rep. Int. Whal. Commn. (Spec. Iss.)* 15.
- Maigret, J. and D. Robineau. 1981. Le genre *Kogia* (Cetacea, Physeteridae) sur les côtes du Sénégal. *Mammalia* 45:199-204.
- Martin, A. R. 1986. Feeding association between dolphins and shearwaters around the Azores Islands. *Can. J. Zool.* 64:1372-1374.
- Martin, A. R. 1988. Cetaceans around the central Azores Islands in the summers of 1985 and 1986. *Mammalia* 52:541-547.
- Martin, V. R., R. Montero, S. Escorza and R. Vonk. 1990. Fourth Annual Conference of the European Cetacean Society, Palma de Mallorca, 2-4 March 1990. *Abstracts*:33.
- Martin, V., R. Vonk, S. Escorze and R. Montero. 1990. Records of Gervais' beaked whale *Mesoplodon europaeus* on the Canary Islands. *Eur. Res. Cetaceans* 4:95.
- Martin, V., R. Montero and J. and S. Heimlich-Boran. 1992. Preliminary observations of the cetacean fauna of the Canary Islands. *Eur. Res. Cetaceans* 6:61-65.
- Maul, G. E. and D. E. Sergeant. 1977. New cetacean records from Madeira. *Bocagiana* 43:1-8.
- Montero, R. and V. Martin. 1992. First account on the biology of Cuvier's beaked whale, *Ziphius cavirostris*, in the Canary Islands. *Eur. Res. Cetaceans* 6:97-99.

- Moore, M., L. Steiner and B. Jann. 2003. Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales. *Aquat. Mamm.* 29:383-389.
- Murphy, P.F., Van Waerebeek, K. and Jallow, A. 1997. Cetaceans in Gambian coastal waters. Document SC/49/SM11 presented to IWC Scientific Committee, Bournemouth, UK. 8pp.
- Nieri, M., E. Grau, B. Lamarche and A. Aguilar. 1999. Mass mortality of Atlantic spotted dolphins (*Stenella frontalis*) caused by a fishing interaction in Mauritania. *Mar. Mamm. Sci.* 15:847-854.
- Nores, C. and Pérez, C. 1988. Overlapping range between *Globicephala macrorhynchus* and *Globicephala melaena* in the northeastern Atlantic. *Mammalia* 52: 51-55.
- Ofori-Danson, P.K., Van Waerebeek, K. and Debrah, S. 2003. A survey for the conservation of dolphins in Ghanaian coastal waters. *Journal of the Ghana Science Association* 5(2): 45-54.
- Ofori-Danson, P. K. and M. A. Odei. 1997. Preliminary observations of the common dolphin, *Delphinus delphis*, (order Cetacea; fam. Delphinidae) in the Ghanaian coastal waters. IWC Scientific Committee document SC/49/SM3.
- Peddemors, V. M. 1999. Delphinids of southern Africa: A review of their distribution, status and life history. *J. Cetacean Res. Manage.* 1:157-165.
- Peletier, F. X. 1975. Symbiose entre l'Amrig et le dauphin sur la côte Mauritanienne. Pages 171-176 in *L'homme et l'animal*. Inst. Int. Ethnoscience, Paris.
- Perrin, W. F. 1998. *Stenella longirostris*. *Mamm. Species* 599:1-7.
- Perrin, W. F. 2001. *Stenella attenuata*. *Mamm. Species* 683:1-8.
- Perrin, W. F. 2002. *Stenella frontalis*. *Mamm. Species* 702:1-6.
- Perrin, W. F., E. D. Mitchell, J. G. Mead, D. K. Caldwell and P. J. H. van Bree. 1981. *Stenella clymene*, a rediscovered tropical dolphin of the Atlantic. *J. Mamm.* 62:583-598.
- Perrin, W. F., E. D. Mitchell, J. G. Mead, D. K. Caldwell, M. C. Caldwell, P. J. H. van Bree and W. H. Dawbin. Revision of the spotted dolphins, *Stenella* spp. *Mar. Mamm. Sci.* 3:99-170.
- Plön, S. E. E., R. T. F. Bernard, V. G. C. Cockcroft and P. B. B. Best. 1997. Age, growth and reproduction of pygmy (*Kogia breviceps*) and dwarf (*Kogia simus*) sperm whales stranded along the southern African coastline. IWC Scientific Committee document SC/49/SM45.
- Reiner, F. 1986. First record of Sowerby's beaked whale from Azores. *Sci. Rep. Whales Res. Inst.* 37:103-107.
- Reiner, F. 1990. Records of marine mammals of the Azorean islands. *Garcia de Ortia, Sér. Zool., Lisboa* 15:21-36.
- Reiner, F., M. E. dos Santos and F. W. Wenzel. 1996. Cetaceans of the Cape Verde Archipelago. *Mar. Mamm. Sci.* 12:434-443.
- Rice, D. W. 1998. Marine mammals of the world. Systematics and distribution. *Soc. Mar. Mammal. Spec. Pub.* 4.
- Rice, F. H. and G. S. Saayman. 1987. Distribution and behaviour of killer whales (*Orcinus orca*) off the coasts of southern Africa. *Invest. Cetacea* 20:231-250.
- Ritter, F. 2002. Behavioural observations of rough-toothed dolphins (*Steno bredanensis*) off La Gomera, Canary Islands (1995-2000), with special reference to their interactions with humans. *Aquat. Mamm.* 28:46-59.
- Robineau, D. and M. Vely. 1993. Stranding of a specimen of Gervais' beaked whale (*Mesoplodon europaeus*) on the coast of West Africa (Mauritania). *Mar. Mamm. Sci.* 9:438-440.

- Robineau, D. and M. Vely. 1997a. Données préliminaires (taille corporelle, craniométrie) sur le grand dauphin (*Tursiops truncatus*) des côtes d'Afrique du nord-ouest (Mauritanie, Sénégal). *Mammalia* 61:443-448.
- Robineau, D. and M. Vely. 1997b. Small cetaceans in coastal waters of Mauritania (NW Africa). IWC Scientific Committee document SC/49/Info8.
- Robineau, D. and M. Vely. 1998. Les cétacés des côtes de Mauritanie (Afrique du Nord-Ouest). Particularités et variations spatio-temporelles de répartition: rôle des facteurs océanographiques. *Rev. Ecol. (Terre Vie)* 53: 123-152.
- Robineau, D., M. Vely and J. Maigret. 1994. *Stenella clymene* (Cetacea, Delphinidae) from the coast of West Africa. *J. Mamm.* 75:766-767.
- Rose, B. and Payne, A.I.L. 1991. Occurrence and behavior of the southern right whale dolphin *Lissodelphis peronii* off Namibia. *Mar. Mamm. Sc.* 7(1): 25-34.
- Ross, G. J. B. 1979. Records of pygmy and dwarf sperm whales, genus *Kogia*, from southern Africa, with biological notes and some comparisons. *Ann. Cape Prov. Mus. (Nat. Hist.)* 11:259-327.
- Ross, G. J. B. and R. M. Tietz. 1972. Records of Cuvier's beaked whale, *Ziphius cavirostris* from southern Africa. *Ann. Cape Prov. Mus. (Nat. Hist.)* 9:1-10.
- Silva, M. A., R. Feio, R. Prieto, J. M. Gonçalves and R. S. Santos. 2002. Interactions between cetaceans and the tuna fishery in the Azores. *Mar. Mamm. Sci.* 18:893-901.
- Silva, M. A., R. Prieto, S. Magalhães, R. Cabecinhas, A. Cruz, J. M. Gonçalves and R. S. Santos. 2003. Occurrence and distribution of cetaceans in the waters around the Azores (Portugal), summer and autumn 1999-2000. *Aquat. Mamm.* 29:77-83.
- Steiner, L., J. Gordon and C. J. Beer. 1998. Marine mammals of the Azores. The World Marine Mammal Science Conference, Monaco, 20-24 January 1998. Abstracts:128.
- Steiner, L. and J. Gordon. 1993. Cetacean sightings in the Azores 1987-1991 (excluding sperm whales). *Eur. Res. Cetaceans* 7:152.
- Van Waerebeek, K. 1997. Long-beaked and short-beaked common dolphins sympatric off Central-West Africa. IWC Scientific Committee document SC/49/SM46.
- Van Waerebeek, K. 2003. A newly discovered stock of humpback whales in the northern Gulf of Guinea. *CMS Bulletin* 18: 6-7.
- Van Waerebeek, K. 2007a. Conservation status of the Clymene dolphin in West Africa. *CMS/Sc14/Doc.* 5.
- Van Waerebeek, K. 2007b. Conservation status of the Atlantic humpback dolphin, a compromised future? *CMS/Sc14/Doc.* 6.
- Van Waerebeek, K. 2007c. Conservation status of the Northwest Atlantic population of the harbour porpoise. *CMS /ScC14/Doc.* 7.
- Van Waerebeek, K. and De Smet, W.M.A. 1996. A second record of the false killer whale *Pseudorca crassidens* (Owen, 1846) (Cetacea, Delphinidae) from West Africa. *Mammalia* 60(2): 319-322.
- Van Waerebeek, K. and T. Jefferson. 2004. Dolphins under threat. Conservation of humpback dolphins. *Species* 41.
- Van Waerebeek, K., Barnett, L., Camara, A., Cham, A., Diallo, M., Djiba, A., Jallow, A.O., Ndiaye, E., Samba Ould Bilal, A.O. and Bamy, I. L. 2004. Distribution, status and biology of the Atlantic humpback dolphin *Sousa teuszii* (Kükenthal, 1892). *Aquatic Mammals* 30(1): 56-83.
- Van Waerebeek, K. and P. K. Ofori-Danson. 1999. A first checklist of cetaceans of Ghana, Gulf of Guinea, and a shore-based survey of interactions with coastal fisheries. IWC Scientific Committee document SC/51/SM35.
- Van Waerebeek, E. Ndiaye, A. Djiba, M. Diallo, P. Murphy, A. Jallow, A. Camara, P. Ndiaye, and P. Tous. 2000. A survey of the conservation status of cetaceans in Senegal, The Gambia and Guinea-Bissau. UNEP/CMS Secretariat, Bonn, Germany.

- Van Waerebeek, K., L. Barnett, A. Camara, A. Cham, M. Diallo, A. Djiba, A. Jallow, E. Ndiaye, A. O. Samba Ould-Bilal, and I. L. Bamy. 2003. Conservation of cetaceans in The Gambia and Senegal, 1999-2001, and status of the Atlantic humpback dolphin. UNEP/CMS Secretariat, Bonn, Germany.
- Van Waerebeek, K., Tchibozo, S., Montcho, J., Nobime, G., Sohoun, Z., Sohounhoue, P. and Dossou, C. 2001. The Bight of Benin, a North Atlantic breeding ground of a Southern Hemisphere humpback whale population, likely related to Gabon and Angola substocks. IWC Scientific Committee document SC/53/IA21. 8pp.
- Viallelle, S. 1997. Dauphins et baleines des Açores. Espaço Talassa, Porto, Portugal.
- Vonk, R. and Martin Martel, V. 1988. First list of odontocetes from the Canary Islands, 1980-1987. Eur. Res. Cetaceans 2: 31-35.
- Vonk, R. and Martin Martel, V. 1989. Goose-beaked whales *Ziphius cavirostris* mass strandings in the Canary Islands. Eur. Res. Cetaceans 3:73-76.
- Vonk, R. and Martin Martel, V. 1990. Fraser's dolphin *Lagenodelphis hosei* Fraser, 1956: First record on the Canary Islands. Eur. Res. Cetaceans 4:70-71.
- Weir, C. R. 2006a. Sightings of beaked whales (Cetacea: Ziphiidae) including first confirmed Cuvier's beaked whales *Ziphius cavirostris* from Angola. Afr. J. Mar. Sci. 28:173-175.
- Weir, C. R. 2006b. First confirmed records of Clymene dolphin, *Stenella clymene* (Gray, 1850), from Angola and Congo, south-east Atlantic Ocean. Afr. Zool. 41:297-300.
- Wilson, C. E., W. F. Perrin, J. W. Gilpatrick, Jr. and S. Leatherwood. 1987. Summary of worldwide locality records of the striped dolphin, *Stenella coeruleoalba*. NOAA Tech. Mem. NMFS-SWFC-90.